

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

RECEIVED

DEC 03 1992

DEC 2 1992

IOWA SECTION

MEMORANDUM

SUBJECT: Transmittal of Analytical Data for Monsanto Corp.

Queeny Plant, St. Louis, Missouri (ADF14)

FROM:

Robert B. Dona RBJona

Environmental Engineer, QADE/EDSB/ENSV

TO:

Patricia Nichols

PRMT/RCRA/WSTM

THRU:

Jeffrey A. Wandtke

Regional QA Officer, QADE/EDSB/ENSV

I have attached a copy of our Analysis Request Report for the RCRA oversight sampling performed by Jacobs Engineering Group on October 8, 1992, at Monsanto's Queeny Plant, St. Louis, Missouri. The data from analysis of the laboratory quality control samples have not been included but are available at your request.

I am also including copies of the original field sheets and chain-of-custody record. If you have any questions, please call me at 551-5182.

Attachments



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

ENVIRONMENTAL SERVICES DIVISION REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

DATE:	<u>7 3 0 1992 </u>
MEMORANDU	M
SUBJECT:	Data Transmittal for Activity #: ADF14 Site Description: Monsanta - Queen Plant
FROM:	Andrea Jirka Chief, Laboratory Branch, ENSV
TO:	Dale Bates Chief, EDSB-ENSV
ATTN:	B. Dona
Attac	ched is the data transmittal for the above referenced
site. The	data contained in this transmittal have been approved by
the Labora	atory Branch. This should be considered a Partial
or X co	omplete data transmittal (completes transmittal of
). The Project Leader should notify the Laboratory
Branch wit	thin 14 days of any changes in the LAST analytical
database.	If you have any questions, comments, or data changes,
please con	tact Dee Simmons at 551-5129.
Attachment	
cc: Analy	tical Data File



DRAFT

FIELD SHEET

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115
FY: 92 ACTNO: ADF14 SAMNO: 001 QCC: _ MEDIA: SOIL PL: DONA, B.
ACTIVITY DES: MONSANTO-QUEENY PLANT REF LATITUDE: LOCATION: ST. LOUIS MO PROJECT NUM: A60 PT: LONGITUDE:
SAMPLE DES: 1571CENT 70 LS-9 LOCATION: 57. LUMIS MO CASE/BATCH/SMO:/_ LAB: BEG: /0/02/92 /0:00 EAST: STORET/AIRS NO: DOWN:
ANALYSIS REQUESTED: CONTAINER PRESERVATIVE MGP NAME 2-40 ML VIALS COOL (4 C) SV SOIL VOLATILES GLASS ICED SS SEMIVOLATILES GLASS ICED SH HERBICIDES GLASS ICED SM METALS - ALACHLOR GLASS COOL (4 C) SM34 MERCURY, TOTAL, BY COLD VA MALTIN S GLASS COOL (4 C) SP68 ALACHLOR WITH PISHCUPS GLASS NONE SCOT SOLIDS, PERCENT WITH METALS
COMMENTS: FOR SUPERFUND ONLY: SUBSITE IDENTIFIER: OPERABLE UNIT:

SAMPLE COLLECTED BY : Ryouges

DRAFT

FIELD SHEET

lydigon

U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION VII ENVIRONMENTAL SERVICES DIV. 25 FUNSTON RD. KANSAS CITY, KS 66115 _____ FY: 92 ACTNO: ADF14 SAMNO: 002 QCC: F MEDIA: SOIL) PL: DONA, B. ACTIVITY DES: MONSANTO-QUEENY PLANT REF LATITUDE: LOCATION: ST. LOUIS MO PROJECT NUM: A60 PT: LONGITUDE: SAMPLE DES: TRIP BLANK DATE TIME FROM REF PT _______MO _/_/_____ LAB: MO BEG: 10/08/42 10:05 EAST:
LAB: END: _/_/ : NORTH: LOCATION: CASE/BATCH/SMO: STORET/AIRS NO: DOWN: ANALYSIS REQUESTED: CONTAINER PRESERVATIVE MGP NAME 2-40 ML VIALS COOL (4 C) SV SOIL VOLATILES SUBSITE IDENTIFIER: OPERABLE UNIT: COMMENTS: FOR SUPERFUND ONLY:

SAMPLE COLLECTED BY :

mol9/92

CHAIN OF CUSTODY RECORD ENVIRONMENTAL PROTECTION AGENCY REGION VII

ACTIVITY LEADER(P	rint)		NAM	E OF SURV	EY OR ACTIVIT	Υ				DATE OF COLLECTION	SHEET	
NICHOLS, P	AT				TO QUEE!		,			DAY MONTH YEAR	/ of /	<i>,</i> _
CONTENTS OF SHIP											<u> </u>	
CAMPLE			E OF CONTA	INERS		5	SAMP		MEDIA	RECEIVING LABORATORY		
SAMPLE NUMBER	CUBITAINER	BOTTLE	BOTTLE	BOTTLI	VOA SET (2 VIALS EA)	٦		sediment	othe	(condition of samples upon re	ceipt,	
	NUME	BERS OF CON	TAINERS PER	SAMPLE NU	MBER	water	Sorl	sed	dust	other sample numbers, etc	.)	
ADF14COSF					11		У					
ADFIACONF ADFMOUL		4,			1 1		X					
		1										
						1						
							П					
						1						
	ł											
						1						
DESCRIPTION OF SI	HIPMENT				MODE OF SH	IIPM	ENT		<u> </u>			
PIECE(S) C	ONSISTING O		BOX(ES)		СОММ	ERCL	AL C	ARR	IER:			
1 .	(S); OTHER _				COURI	ER						
					SAMPL	ER C	ONV	EYEI	D	(SHIPPING DOCUMENT NUM	IBER)	
PERSONNEL CUSTO												
RELINQUISHEDBY	(SAMPLER) よこれ	DAT	Y GA		ECEIVED BY	P	^_	,		REASON FOR CHANGE OF	CUSTODY	
SEALED SEALED	UNSEALE		21/2	, ³	SEALED /	(0)	UN:	SEA	Jeo)	Malson		
RELINQUISHED BY	-	DAT	E TIN	1E R	ECEIVED BY				1	REASON FOR CHANGE OF	CUSTODY	
					·					_		
SEALED RELINQUISHED BY	UNSEAL	ED DAT	E TIM		SEALED ECEIVED BY		UN	SEA	LED	REASON FOR CHANGE OF	CUSTODY	_
SEALED	UNSEAL	ED		H	SEALED		UN	ISEA	ALED]	╡		



DATE:

SUBJECT: Activity Number: Site Description:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

FROM: Kevin Lidwikoski ESAT
TO: LABO Primary File
Comments regarding the subject activity are as follows:
Sample Number: Votal Metals and the . The matrix spike and for matrix spike diplicate
recoveries were out of control for Ac So, TL and
Con. This was probably due to matrix interferences
The mother standard recoverus were in control
for all analytes. This data substantially
fulfills the data requirements of the work
order under which the analyses were performe).
The actual sample valued for As Se and
The for ool will remain non-detect. Ca
results may range 88,200 - 127,000 mg/k for
Sangle al. 1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

DATE:	<u> 10-30-92</u>
SUBJECT:	Activity Number: ADFIU Site Description: ACNSANTO
FROM:	MARLA FASTENAU
TO:	LABO Primary File
Comm	ents regarding the subject activity are as follows:
Sample Nu	
<u>F</u>	PPF14002F - Acctone was J coded
	on this sample because subsecuent
	malyer (2) did not give adequate
	During + recoveries for sur. + int. std.
	Therefore, the only good run I got
	loss with an acctone value outside
	of the lance of the curve so) T coded
	The value.

VALIDATED DATA

FOR ACTIVITY: ADF14

DONA, B.

12/01/92 16:03:46

ALL REAL SAMPLES AND FIELD Q.C.

* FINAL REPORT

FY: 93 ACTIVITY: ADF14

DESCRIPTION: MONSANTO CHEMICAL, QUEENY

LOCATION: ST. LOUIS

MISSOURI

STATUS: ACTIVE

TYPE: SAMPLING - IN HOUSE ANALYSIS

PROJECT:

LABO DUE DATE IS 11/ 7/92. REPORT DUE DATE IS 11/28/92.

INSPECTION DATE: 10/8/92 ALL SAMPLES RECEIVED DATE: 10/08/92

ALL DATA APPROVED BY LABO DATE: 11/30/92

FINAL REPORT TRANSMITTED DATE: 00/00/00

EXPECTED LABO TURNAROUND TIME IS 30 DAYS

EXPECTED REPORT TURNAROUND TIME IS 51 DAYS

ACTUAL LABO TURNAROUND TIME IS 53 DAYS

ACTUAL REPORT TURNAROUND TIME IS O DAYS

SITE CODE:

SITE:

SAMP. NO. QCC M DESCRIPTION	SAMPLE # STATUS CITY	STATE	AIRS/ STORET LAY- LOC NO SECT ER	BEG. DATE	BEG. Time	END. DATE	END. TIME
001 S ADJACENT TO LS-9 002 F S TRIP BLANK	1 ST. LOUIS 1 ST. LOUIS	MISSOUR MISSOUR		10/08/92 10/08/92	10:00 10:05	/ /	:

EXPLANATION OF CODES AND INFORMATION ON ANALYSIS REQUEST DETAIL REPORT

```
SAMPLE INFORMATION:
                                                                                                                                                                                                                                                                                                                                                                      ANALYTICAL RESULTS/MEASUREMENTS INFORMATION:
                                                          = SAMPLE IDENTIFICATION NUMBER (A 3-DIGIT NUMBER WHICH IN COMBINATION WITH THE ACTIVITY NUMBER AND QCC, PROVIDES AN UNIQUE NUMBER FOR EACH SAMPLE FOR IDENTIFICATION PURPOSES)
= QUALITY CONTROL CODE (A ONE-LETTER CODE USED TO DESIGNATE SPECIFIC QC SAMPLES. THIS FIELD WILL BE BLANK FOR ALL NON-QC OR ACTUAL SAMPLES):
A = TRUE VALUE FOR CALIBRATION STANDARD
B = CONCENTRATION RESULTING FROM DUPLICATE LAB SPIKE
C = MEASURED VALUE FOR CALIBRATION STANDARD
D = MEASURED VALUE FOR FILED DUPLICATE
F = MEASURED VALUE FOR FILED BLANK
G = MEASURED VALUE FOR METHOD STANDARD
H = TRUE VALUE FOR METHOD STANDARD
K = CONCENTRATION RESULTING FROM DUPLICATE FIELD
SPIKE
       SAMP. NO.
                                                                                                                                                                                                                                                                                                                                                                    COMPOUND = MGP (MEDIA-GROUP-PARAMETER) CODE AND NAME OF THE MEASURED CONSTITUENT OR CHARACTERISTIC OF EACH SAMPLE
                                                                                                                                                                                                                                                                                                                                                                                                                 SPECIFIC UNITS IN WHICH RESULTS ARE REPORTED:

C = CENTIGRADE (CELSIUS) DEGREES

CFS = CUBIC FEET PER SECOND

GPM = GALLONS PER MINUTE
                                                                                                                                                                                                                                                                                                                                                                      UNITS
      QCC
                                                                                                                                                                                                                                                                                                                                                                                                                           IN = INCHES
I.D. = SPECIES IDENTIFICATION
KG = KILOGRAM
L = LITER
                                                                                                                                                                                                                                                                                                                                                                                                                         ĽB
MG
                                                                                                                                                                                                                                                                                                                                                                                                                                                         = POUNDS
                                                                                                                                                                                                                                                                                                                                                                                                                                                      = MILLIGRAMS (1 X 10-3 GRAMS)
= MILLION GALLONS PER DAY
= MILES PER HOUR
                                                                                                                                                                                                                                                                                                                                                                                                                          MGD
                                                                                                                                                                                                                                                                                                                                                                                                                     MPH = MILES PER HOUR

MV = MILLIVOLT

M/F = MALE/FEMALE

M2 = SQUARE METER

M3 = CUBIC METER

NA = NOT APPLICABLE

NG = NANOGRAMS (1 X 10-9 GRAMS)

NTU = NEPHELOMETRIC TURBIDITY UNITS

PC/L = PICO (1 X 10-12) CURRIES PER LITER

PG = PICOGRAMS (1 X 10-12 GRAMS)

P/CM2 = PICOGRAMS PER SQUARE CENTIMETER

SCM = STANDARD CUBIC METER (1 ATM, 25 C)

SQ FT = SQUARE FEET

SU = STANDARD UNITS (PH)

UG = MICROGRAMS (1 X 10-6 GRAMS)

UMHOS = MICROGRAMS PER 100 SQUARE

CENTIMETERS
                                                                                                                                                                                                                                                                                                                                                                                                                         MPH
                                                            SPIKE

L = MEASURED VALUE FOR LAB DUPLICATE

M = MEASURED VALUE FOR LAB BLANK

N = MEASURED VALUE FOR DUPLICATE FIELD SPIKE

P = MEASURED VALUE FOR PERFORMANCE STANDARD

R = CONCENTRATION RESULTING FROM LAB SPIKE

S = MEASURED VALUE FOR LAB SPIKE

T = TRUE VALUE OF PERFORMANCE STANDARD

W = MEASURED VALUE FOR DUPLICATE LAB SPIKE

Y = MEASURED VALUE FOR FIELD SPIKE

Z = CONCENTRATION RESULTING FROM FIELD SPIKE

MEDIA CODE (A ONE-LETTER CODE DESIGNATING THE

MEDIA OF THE SAMPLE):

A = AIR
                                                                                              SPIKE
                                                                         A = AIR
                                                                       H = OTHER (DOES NOT FIT ANY OTHER CATEGORY)
S = SOLID (SOIL, SEDIMENT, SLUDGE)
T = TISSUE (PLANT & ANIMAL)
T = TISSUE (PLANT & ANIMAL)

W = WATER (GROUND WATER, SURFACE WATER, WASTE

WATER, DRINKING WATER)

DESCRIPTION = A SHORT DESCRIPTION OF THE LOCATION WHERE SAMPLE

WAS COLLECTED

AIRS/STORET LOC. NO. = THE SPECIFIC LOCATION IDENTIFICATION

NUMBER FOR EITHER OF THESE NATIONAL

DATABASE SYSTEMS, AS APPROPRIATE

DATE/TIME INFORMATION = SPECIFIC INFORMATION REGARDING WHEN THE

SAMBLE WAS COLLECTED
                                                                                                                                                                                                                                                                                                                                                                                                                        U/CM2 = MICROGRAMS PER TOO SQUARE
CENTIMETERS

U/CM2 = MICROGRAMS PER SQUARE CENTIMETER
1000G = 1000 GALLONS
+/- = POSITIVE/NEGATIVE
# = NUMBER
                                                                                                                                                                                                                                                                                                                                                               DATA QUALIFIERS = SPECIFIC CODES USED IN CONJUNCTION
WITH DATA VALUES TO PROVIDE ADDITIONAL
INFORMATION ON THE REPORTED RESULTS, OR USED
TO EXPLAIN THE ABSENCE OF A SPCIFIC VALUE:
BLANK = IF FIELD IS BLANK, NO REMARKS OR
QUALIFIERS ARE PERTINENT. FOR FINAL
REPORTED DATA, THIS MEANS THAT THE
VALUES HAVE BEEN REVIEWED AND FOUND
TO BE ACCEPTABLE FOR USE.

I = INVALID SAMPLE/DATA - VALUE NOT REPORTED
J = DATA REPORTED BUT NOT VALID BY APPROVED
QC PROCEDURES
K = ACTUAL VALUE OF SAMPLE IS < VALUE REPORTED
U = ACTUAL VALUE OF SAMPLE IS > VALUE REPORTED
VALUE FOR ACCURATE QUANTIFICATION
O = PARAMETER NOT ANALYZED
U = ACTUAL VALUE OF SAMPLE IS < THE
                                                                                                                          SAMPLE WAS COLLECTED
                                                                                                                       SAMPLE WAS COLLECTED
BEG. DATE = DATE SAMPLING WAS STARTED
BEG. TIME = TIME SAMPLING WAS STARTED
END DATE = DATE SAMPLING WAS COMPLETED
END TIME = TIME SAMPLING WAS COMPLETED
NOTE: A GRAB SAMPLE WILL CONTAIN ONLY
BEG. DATE/TIME
A TIMED COMPOSITE SAMPLE WILL
CONTAIN BOTH BEG AND END DATE/TIME
TO DESIGNATE DURATION OF SAMPLE
COLLECTION
  OTHER CODES:
                                                                       V = VALIDATED
                                                                                                                                                                                                                                                                                                                                                                                                                         U = ACTUAL VALUE OF SAMPLE IS < THE MEASUREMENT DETECTION LIMIT (REPORTED
                                                                                                                                                                                                                                                                                                                                                                                                                                              VALUE)
```

COMPOUND	UNITS	001	002F
SGO7 SOLIDS, PERCENT	**************************************	88.4	:100
SHO1 2.4-D(DICHLOROPHENOXYACETIC ACID)	MG/KG	0.0050 U	·
SHO2 2,4,5-TP(SILVEX)	:MG/KG	0.0015 U	`
SH03 2,4,5-T	:MG/KG	0.0031	
SMO1 SILVER, TOTAL, BY ICAP	MG/KG	0.20 U	
SMO2 ALUMINUM, TOTAL, BY ICAP	MG/KG	4380	
SMO3 ARSENIC, TOTAL, BY ICAP	MG/KG	10.0 U	
SMO4 BARIUM, TOTAL, BY ICAP	MG/KG	56.1	
SMO5 BERYLLIUM, TOTAL, BY ICAP	MG/KG	0.207	
SMO6 CADMIUM, TOTAL, BY ICAP	MG/KG	0.869	
SMO7 COBALT, TOTAL, BY ICAP	MG/KG	2.31	
SMO8 CHROMIUM, TOTAL, BY ICAP	MG/KG	8.45	
SMO9 COPPER, TOTAL, BY ICAP	MG/KG	16.5	
SM10 IRON, TOTAL, BY ICAP	MG/KG	10300	
SM11 MANGANESE, TOTAL, BY ICAP	MG/KG	330	
SM12 MOLYBDENUM, TOTAL, BY ICAP	MG/KG	NA O	
SM13 NICKEL, TOTAL, BY ICAP	:MG/KG	10.5	
SM14 LEAD, TOTAL, BY ICAP	: MG/KG	18.0	
SM15 ANTIMONY, TOTAL, BY ICAP	MG/KG	1.00 U	
SM16 SELENIUM, TOTAL, BY ICAP	MG/KG	10.0 U	
SM17 TITANIUM, TOTAL, BY ICAP	MG/KG	NA O	:
SM18 THALLIUM, TOTAL, BY ICAP	MG/KG	6.00 U	
SM19 VANADIUM, TOTAL, BY ICAP	:MG/KG	11.4	· · · · · · · · · · · · · · · · · · ·
SM20 ZINC, TOTAL, BY ICAP	MG/KG	46.9	· · · · · · · · · · · · · · · · · · ·
SM21 CALCIUM, TOTAL, BY ICAP	:MG/KG	127000	· · · · · · · · · · · · · · · · · · ·
SM22 MAGNESIUM, TOTAL, BY ICAP	: MG/KG	5510	· · · · · · · · · · · · · · · · · · ·
	::		

COMPOUND	UNITS 001	002F	
SM23 SODIUM, TOTAL, BY ICAP	MG/KG: 378	:	:
SM24 POTASSIUM, TOTAL, BY ICAP	MG/KG: 722		
SM34 MERCURY, TOTAL, BY COLD VAPOR AA	MG/KG:0.22		
SPO1 BHC, ALPHA, BY GC/EC	UG/KG: 1.6	U	
SPO2 BHC, BETA, BY GC/EC	UG/KG: 2.0	U	
SPO3 BHC, DELTA	UG/KG:3.2	U	
SPO4 BHC, GAMMA-(LINDANE), BY GC/EC	UG/KG: 2.0	U	
SPO5 ALDRIN, BY GC/EC	UG/KG: 1.6	Ü	
SPO6 DIELDRIN, BY GC/EC	UG/KG: 2.4	u	
SPO7 ENDOSULFAN I, BY GC/EC	UG/KG:3.6	U	
SPO8 ENDOSULFAN II, BY GC/EC	:UG/KG:28.	U	
SPO9 ENDOSULFAN SULFATE, BY GC/EC	UG/KG: 2.8	U : ex	
SP10 ENDRIN, BY GC/EC	:UG/KG:8.0	U	4
SP11 ENDRIN ALDEHYDE, BY GC/EC	UG/KG: 1.6	u ;	:
SP13 DDE-4,4'-	:UG/KG: 2.4	U	:
SP14 DDD-4,4'-	:UG/KG:24.	v	
SP15 DDT-4,4'-	UG/KG: 4.0	U	
SP16 TOXAPHENE, BY GC/EC	:UG/KG:200	U	
SP17 PCB-AROCLOR 1016	:UG/KG: 160	U :	
SP18 PCB-AROCLOR 1221	:UG/KG: 120	U :	
SP19 PCB-AROCLOR 1232	UG/KG: 40.	U :	
SP20 PCB-AROCLOR 1242	:UG/KG:40.	U : : : : : : : : : : : : : : : : : : :	
SP21 PCB-AROCLOR 1248	UG/KG:60.	U :	
SP22 PCB-AROCLOR 1254	UG/KG: 20.	U :	
SP23 PCB-AROCLOR 1260	UG/KG: 24.	U	
SP24 CHLORDANE, TECHNICAL, BY GC/EC	:UG/KG:8.0	U	

COMPOUND	UNITS	001	002F
SP25 HEPTACHLOR, BY GC/EC	: UG/KG: 3	.6 U :	
SP26 HEPTACHLOR EPOXIDE, BY GC/EC	UG/KG:7	.0 U :	
SP36 CHLORDANE, GAMMA	UG/KG: NA	A 0 :	
SP60 METHOXYCHLOR, BY GC/EC	UG/KG:5	. 2 U	
SP61 ENDRIN KETONE, BY GC/EC	UG/KG:2	.0 U :	
SP64 CHLORDANE, ALPHA	UG/KG: NA	A 0 :	
SP68 ALACHLOR	UG/KG:8	10	
SSO1 PHENOL, BY GC/MS	UG/KG:	10000U :	
SSO2 CARBAZOLE	:UG/KG:	10000U	
SSO3 ETHER.BIS(2-CHLOROETHYL), BY GC/MS	UG/KG:	100000	
SSO4 CHLOROPHENOL, 2-	UG/KG:	100000	
SSO5 DICHLOROBENZENE, 1, 3-, BY GC/MS	UG/KG:	100000	
SSO6 DICHLOROBENZENE, 1, 4-	UG/KG:	10000U	
SSO7 BENZYL ALCOHOL	: UG/KG:	10000U	
SSO8 DICHLOROBENZENE, 1, 2-, BY GC/MS	UG/KG:	10000U :	
SSO9 CRESOL, ORTHO(2-METHYLPHENOL)	UG/KG:	10000U :	
SS10 ETHER, BIS(2-CHLOROISOPROPYL), BY GC/MS	UG/KG:	10000U :	
SS11 CRESOL, PARA-(4-METHYLPHENOL)	UG/KG:	10000U	
SS12 N-NITROSODIPROPYLAMINE	UG/KG:	10000U :	
SS13 HEXACHLOROETHANE, BY GC/MS	UG/KG:	10000U :	
SS14 NITROBENZENE, BY GC/MS	UG/KG:	10000U :	
SS15 ISOPHORONE, BY GC/MS	UG/KG:	10000U :	
SS16 NITROPHENOL, 2-	UG/KG:	10000U	
SS17 DIMETHYLPHENOL, 2, 4, BY GC/MS	UG/KG:	10000U	
	UG/KG:	50000U :	
SS19 METHANE, BIS(2-CHLOROETHYOXY), BY GC/MS	UG/KG:	100000	

COMPOUND	UNITS	001	002F			
SS20 DICHLOROPHENOL, 2,4-	UG/KG:	100000		:		:
SS21 TRICHLOROBENZENE,1,2,4, BY GC/MS	UG/KG:	100000		:		:
SS22 NAPHTHALENE, BY GC/MS	:UG/KG:	100000		:		:
SS23 CHLOROANILINE,4-	UG/KG:	10000U		:		:
SS24 HEXACHLOROBUTADIENE, BY GC/MS	:UG/KG:	100000				:
SS25 PHENOL, 4-CHLORO-3-METHYL	UG/KG:	100000				:
SS26 METHYLNAPHTHALENE, 2-	UG/KG	10000U				:
SS27 HEXACHLOROCYCLOPENTADIENE, BY GC/MS	UG/KG	10000U				
SS28 TRICHLOROPHENOL, 2, 4, 6	UG/KG	100000				
SS29 TRICHLOROPHENOL, 2, 4, 5	UG/KG:	100000				
SS30 CHLORONAPHTHALENE, 2-	UG/KG:	100000				
SS31 NITROANILINE,2-	UG/KG:	500000				
SS32 PHTHALATE, DIMETHYL, BY GC/MS	UG/KG:	100000				
SS33 ACENAPHTHYLENE, BY GC/MS	UG/KG:	100000				
SS34 NITROANILINE,3-	UG/KG:	50000U				
SS35 ACENAPHTHENE, BY GC/MS	UG/KG:	100000			,	:
SS36 DINITROPHENOL, 2, 4, BY GC/MS	UG/KG:	50000ป				
SS37 NITROPHENOL,4-	UG/KG:	50000U				
SS38 DIBENZOFURAN	UG/KG:	100000				:
SS39 DINITROTOLUENE, 2, 4, BY GC/MS	UG/KG:	100000				
SS40 DINITROTOLUENE, 2, 6-	UG/KG:	100000				
SS41 PHTHALATE, DIETHYL, BY GC/MS	UG/KG	100000				:
SS42 ETHER, 4-CHLOROPHENYL PHENYL	UG/KG:	100000				
SS43 FLUORENE, GC/MS	UG/KG:	100000				
SS44 NITROANILINE,4-	UG/KG:	50000U				
SS45 PHENOL, 4, 6-DINITRO-2-METHYL	UG/KG:	50000U				
	-::-			::		:

COMPOUND	UNITS	001	002F			
SS46 N-NITROSODIPHENYLAMINE, BY GC/MS	:: :UG/KG:	10000U	:	:	:	::
SS47 ETHER, 4-BROMOPHENYL PHENYL	UG/KG:	100000	:	-:	:	
SS48 HEXACHLOROBENZENE, BY GC/MS	UG/KG:	100000	: :	:	:	:: :
SS49 PENTACHLOROPHENOL, BY GC/MS	UG/KG	50000U	:	- ;	:	:
SS50 PHENANTHRENE, BY GC/MS	UG/KG	100000	:	· :	:	:
SS51 ANTHRACENE, BY GC/MS	UG/KG:	10000U	:	-	•	:; : :
SS52 PHTHALATE, DI-N-BUTYL-, BY GC/MS	UG/KG	10000U	:	- ; :	:	
SS53 FLUORANTHENE, BY GC/MS	UG/KG	10000U	:	:	:	: ; :
SS54 PYRENE, BY GC/MS	UG/KG	10000U	:	-;	:	::
SS55 PHTHALATE, BUTYL BENZYL	UG/KG	100000	:	- ;	:	:
SS56 DICHLOROBENZIDINE, 3,3'	UG/KG:	20000U	:	· :	·	::
SS57 ANTHRACENE, BENZO(A), BY GC/MS	UG/KG	10000U	:	*: :	:	:
SS58 PHTHALATE, BIS(2-ETHYLHEXYL), BY GC/MS	UG/KG	10000U	:	-:	:	:
SS59 CHRYSENE, BY GC/MS	UG/KG	10000U		:	:	
SS60 PHTHALATE, DI-N-OCTYL-, BY GC/MS	UG/KG:	10000U	:	: :	:	:
SS61 FLUORANTHENE, BENZO(B), BY GC/MS	UG/KG	10000U	:	:	:	::
SS62 FLUORANTHENE, BENZO(K), BY GC/MS	UG/KG	10000U	:	·:	;	:::
SS63 PYRENE, BENZO(A), BY GC/MS	UG/KG:	10000U	:	*:	! ************************************	
SS64 PYRENE, INDENO(1,2,3-CD)	UG/KG:	10000U	: :	:	:	:·
SS65 ANTHRACENE, DIBENZO(A,H), BY GC/MS	UG/KG:	10000U	:	:	·	::
SS66 PERYLENE BENZO(G,H,I), BY GC/MS	UG/KG:	10000U	:	:	:	:
SVO3 CHLOROMETHANE, BY GC/MS	UG/KG:	11 U	:10 U	-:	·	::
SVO4 BROMOMETHANE, BY GC/MS	UG/KG	23 U	20 U	:	:	::
SVO5 VINYL CHLORIDE, BY GC/MS	UG/KG	17 U	:15 U	:	:	:: :
SVO6 CHLOROETHANE, BY GC/MS	UG/KG	17 U	15 U	:	:	: :
SVO7 METHYLENE CHLORIDE (DICHLOROMETHANE)	UG/KG	11 U	10 U	:	:	

COMPOUND	UNITS 001		00	2F		
SVO8 DICHLOROETHYLENE, 1, 1, BY GC/MS	:UG/KG:6		5	u		
SVO9 DICHLOROETHANE, 1, 1, BY GC/MS	UG/KG:6	U	5	U :		
SV10 DICHLOROETHYLENE, TRANS-1,2	UG/KG:6	U	5	U :		
SV11 CHLOROFORM, BY GC/MS	UG/KG:6	U	5	U		
SV12 DICHLOROETHANE, 1, 2, BY GC/MS	UG/KG:6	U	5	U		
SV13 TRICHLOROETHANE, 1, 1, 1-, BY GC/MS	:: :UG/KG:6	U	5	U		
SV14 CARBON TETRACHLORIDE, BY GC/MS	UG/KG:6	U	5	U :		
SV15 BROMODICHLOROMETHANE, BY GC/MS	UG/KG:6	U	5	U :		
SV16 DICHLOROPROPANE, 1, 2, BY GC/MS	UG/KG:6	U	5	U :		
SV17 BENZENE, BY GC/MS	UG/KG:9		5	U :		
SV18 DICHLOROPROPYLENE, TRANS-1,3	UG/KG:6	U	5	U :		
SV19 TRICHLOROETHYLENE, BY GC/MS	:UG/KG:6	U	5	U :		
SV20 DICHLOROPROPYLENE, CIS-1, 3, BY GC/MS	UG/KG:6	U	5	U :		
SV21 DIBROMOCHLOROMETHANE, BY GC/MS	UG/KG:6	U	5	Time V		
SV22 TRICHLOROETHANE,1,1,2-, BY GC/MS	UG/KG:6	U	5	<u> </u>	:	
SV24 BROMOFORM, BY GC/MS	:UG/KG:6	U	5	v :		
SV25 TETRACHLOROETHYLENE, BY GC/MS	UG/KG:6	U	5	U :		
SV26 TOLUENE, BY GC/MS	UG/KG:6	U	5	U :		
SV27 TETRACHLOROETHANE, 1, 1, 2, 2, BY GC/MS	:UG/KG:6	U	5			7
SV28 CHLOROBENZENE, BY GC/MS	UG/KG: 2500		5	v :		
SV29 ETHYL BENZENE, BY GC/MS	UG/KG: 31		5	v :		
SV30 ACETONE, BY GC/MS	:UG/KG <mark>:67</mark>		2000	J :		
SV31 CARBON DISULFIDE, BY GC/MS	:UG/KG:6	U	5			
SV32 METHYL ETHYL KETONE	:UG/KG:11	U	10			
SV34 HEXANONE, 2-	:UG/KG:11	U	10	-		
SV35 4-METHYL-2-PENTANONE	UG/KG:11	U	10		:	

ANALYSIS REQUEST DETAIL REPORT

ADF14

: NA

ZZO2 ACTIVITY CODE

ACTIVITY: 3-ADF14

VALIDATED DATA

COMPOUND UNITS 001 002F SV36 STYRENE, BY GC/MS UG/KG:6 U :5 U : SV37 XYLENES, TOTAL, BY GC/MS : UG/KG: NA O :NA 0 : :5 SV49 XYLENE, ORTHO UG/KG:6 U : SV57 XYLENE, M AND/OR P UG/KG: 12 :5 U : ZZO1 SAMPLE NUMBER : NA :001 :002

:ADF14

ACTIVITY ADF14 MONSANTO CHEMICAL, QUEENY

THE PROJECT LEADER SHOULD CIRCLE ONE - STORET, AIRS, OR ARCHIVE.

CIRCLE ONE:

STORET

AIRS

ARCHIVE

FINAL DATA REPORT APPROVED BY PROJECT LEADER ON 12/01/92 16:03:46 BY Robert B. Doma